

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

S)V

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

IM5271009

DAVID H BRINKMAN WOOD HERRON & EVANS LLP 2700 CAREW TOWER 441 VINE STREFT CINCINNATI OH 45202-2917

APPLICATION NO.	FILING DATE	TOTAL CLAIMS	EXAMINÉR AND GROUP ART UNIT		DATE MAILED
09/520,827	03/08/00	028 DR)DGE, J	1723	10/09/01
First Named LARKNER,		35 USC	154(b) term ext.	= O'Day	5 .

INVENTION WATER PURIFICATION SYSTEM AND METHOD INCLUDING DISPENSED VOLUME SENSING AND CONTROL

1 BARN/92 210-087.000 N17 UTILITY NO \$1240.00 \001/09/0	ATT'	Y'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYPE	SMALL ENTITY	FEE DUE	DATE DUE
1 DHAM 25	1.	BARN/92	210-087.	000 Ni	7 UTILI	ry No	\$1240.00	·· 01/09/02

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

- Review the SMALL ENTITY status shown above.
 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
 - B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.
- II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of, Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

 Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE COPY

Notice of Allowability

Application No. **09/520,827**

Applicant(s)

LARKNER ET AL

Examiner

JOSEPH DRODGE

Art Unit

1723



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. X This communication is responsive to the Petition of September 14, 2001 2. X The allowed claim(s) is/are 1-28 3. \boxtimes The drawings filed on <u>Jan 26, 2001</u> are acceptable as formal drawings. 4. Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). a) 🗌 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. $3. \square$ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). *Certified copies not received: 5. Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e). Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTITUTE OATH OR DECLARATION. 6. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED. 7. Applicant MUST submit NEW FORMAL DRAWINGS (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. . (b) including changes required by the proposed drawing correction filed ______, which has been approved by the examiner. (c) including changes required by the attached Examiner's Amendment/Comment or in the Office action of Paper No. ____. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson. 8. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Any reply to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included. Attachment(s) 1 Notice of References Cited (PTO-892) 2 Notice of Informal Patent Application (PTO-152) 4 Interview Summary (PTO-413), Paper No. _____. 3 Notice of Draftsperson's Patent Drawing Review (PTO-948) 5 🕅 Information Disclosure Statement(s) (PTO-1449), Paper No(s). ____14___ 6 Examiner's Amendment/Comment 7 Examiner's Comment Regarding Requirement for Deposit of Biological 8 🛛 Examiner's Statement of Reasons for Allowance Material 9 Other

Page 2

Application/Control Number: 09/520,827

Art Unit: 1723

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: Independent claims 1, 9, 18 and 21, and claims dependent therefrom, remain deemed allowable over a plurality of the prior art of record and over newly cited publications cited in the Information Disclosure Statement filed on 9-14-2001 in view of respective recitations of "...input device configured...volume of water to be dispensed from the outlet during a dispense cycle...".

Clack patent 5,876,610; Hsu patent 5,865,991 and Silverman patent 5,540,107 as well as newly cited publications WO 99 65382 and EP 947 231 A each teach water purifying and dispensing systems having input devices configured to input desired cumulative volumes of water to be dispensed cooperating with flow control devices designed to limit or prevent flow after such volumes have been dispensed. However, none of such prior art suggests inputting a desired volume of water to be dispensed during a dispense cycle.

Newly cited publication WO 99 65832 A teaches an input device to input dispense rate or flow rate of purified water being dispensed during a dispense cycle, however does not suggest to input a desired cumulative volume of water to be dispensed and is deemed not obvious to combine with the forementioned prior art, since the monitoring and control system of '832 is disparate from those of the previously recited prior art, and functions primarily to achieve the purpose of effecting accurate dispensing during cycles while the systems of the forementioned

Application/Control Number: 09/520,827 Page 3

Art Unit: 1723

prior art function primarily to serve as end-of life indicators for purifying systems to insure timely replacement of the purifying apparatus components.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph W. Drodge whose telephone number is (703) 308-0403. The examiner can normally be reached on Monday-Friday from approximately 8:30 AM - 4:45 PM.

The fax phone number for this Group is (703) 872-9310. When filing a FAX in Tech Center 1700, please indicate in the Header (upper right) "Official" for papers that are to be entered into the file, and "Unofficial" for draft documents and other communication with the PTO that are not for entry into the file of the application. This will expedite processing of your papers.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0661.

Joseph W. Drodge Primary Examiner Art Unit 1723

JWD

September 26, 2001